## **Amendments to Claims**

This listing of the claims will replace all prior versions, and listings, of the claims in the application.

Claim 1-21 (canceled)

Claim 22. (previously presented) Food comprising a soy protein product prepared from <u>transgenic</u> soybean seeds having a reduced quantity of soybean seed storage protein and prepared by a method comprising:

- (a) constructing a chimeric gene comprising:
  - (i) a nucleic acid fragment comprising a promoter that is functional in the cells of soybean seeds;
  - (ii) a nucleic acid fragment encoding all or a portion of a soybean seed storage protein placed in sense or antisense orientation relative to the promoter of (i) wherein said soybean seed storage protein is selected from the group consisting of glycinin and β-conglycinin; and
  - (iii) a transcriptional termination region;
- (b) creating a transgenic soybean cell by introducing into a soybean cell the chimeric gene of (a); and
- (c) growing the transgenic soybean cells of step (b) which express the chimeric gene of step (a)

wherein the quantity of one or more members of a class of soybean seed storage protein subunits is reduced when compared to soybean seeds not comprising the chimeric gene of step (a), and wherein the class of soybean seed storage protein subunits is selected from the group consisting of: glycinin and  $\beta$ -conglycinin.

Claim 23. (previously presented) Food comprising a soy protein prepared from <u>transgenic</u> soybean seeds prepared by a method for simultaneously reducing the expression of two soybean genes comprising:

- (a) constructing a chimeric gene comprising:
  - (i) a nucleic acid fragment comprising a promoter region from a soybean seed storage protein gene; and

- (ii) a nucleic acid fragment encoding all or a portion of a soybean protein that is not the soybean seed storage protein of (i) wherein said soybean seed storage protein is selected from the group consisting of glycinin and β-conglycinin, said nucleic acid fragment placed in a sense or antisense orientation relative to the promoter of (i), and (iii) a transcriptional termination region;
- (b) creating a transgenic soybean seed by introducing into a soybean seed the chimeric gene of (a); and
- (c) growing the transgenic soybean seeds of step (b) which express the chimeric gene of step (a);

wherein the quantity of one or more members of a class of soybean seed storage protein subunits and the quantity of the protein encoded by the nucleic acid fragment of (a)(ii) is reduced when compared to soybeans seeds not comprising the chimeric gene of step (a), and wherein the class of soybean seed storage protein subunits is selected from the group consisting of glycinin and β-conglycinin.

Claim 24. (previously presented) Food comprising a soy protein prepared from transgenic soybean seeds obtained from a soybean plant transformed at a single locus in its genome with a chimeric gene comprising at least a portion of a glycinin or a  $\beta$ -conglycin gene for reducing the amount of at least one soybean seed storage protein in soybean seeds wherein the seed storage protein is selected from the group consisting of glycinin and  $\beta$ -conglycinin, when compared to seeds obtained from a soybean plant not comprising the chimeric gene in its genome.